Patent Search Results

- 13/3,K/1 (Item 1 from file: 350)
- DIALOG(R) File 350: Derwent WPIX
- (c) 2009 Thomson Reuters. All rights reserved.

File replicating system for remote storage, has updated file replicating from combination of base file and delta file stored in target storage in response to determining that base file matches reference file

Patent Assignee: INT BUSINESS MACHINES CORP (IBMC)

Inventor: LI H: STAKUTIS C J: WILKINSON E D

		Patent Far	mily (1 patents, 1 cour	itries)	
Patent Number	Kind	Date	Application Number	Kind	Date	Update Type
US 20080294860	A1	20081127	US 2004958724	Α	20041004	200881 B
			US 2008130874	Α	20080530	

Abstract:

NOVELTY. The system has a processor in communication with a local storage (22), where a replication request is received to replicate an updated file (12) from a delta file (20) in a target storage file system (18). A code is utilized to determine whether a base file (16) at the target storage file system matches a reference file (14) at the local storage in response to the replication request. The updated file is replicated from a combination of the base file and the delta file stored in the target storage in response to determining that the base file matches the reference file... the copied file is generated at a local storage. An update is applied to the file at the local storage. A delta file is generated indicating differences between the updated file at the local storage and the reference file. A file system command is used to transmit the delta file to the....

Claims:

an update to the file subject to replication at the local storage to generate an updated file at the local storage; generating a delta file indicating differences between the updated file at the local storage and the reference file; generating a code identifying the reference file; using a file system command to..... to the target storage file system to store in one directory of the target storage file system; receiving a replication request to replicate the updated file from the delta file in the target storage file system; using the code to determine whether the base file at the target storage file system matches the reference file at the local storage in esponse to the replication request; and replicating the updated file from a combination of the base file and the delta file stored in the target storage in response to determining that the base file matches the reference file. ... Basic Derwent Week:

13/3.K/3 (Item 3 from file: 350)

DIALOG(R) File 350: Derwent WPIX

(c) 2009 Thomson Reuters. All rights reserved.

Design checking method in computer assisted drafting system, involves creating composite document showing comparison result of two design images described in imported object and reference documents

Patent Assignee: KEMP K (KEMP-I); KEMP S (KEMP-I) Inventor: KEMP K: KEMP S

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Туре
US 20060112332	A1	20060525	US 2004630048	Р	20041122	200639	В
			US 2005283130	Α	20051117		
WO 2006058101	A2	20060601	WO 2005US42510	Α	20051121	200645	E
WO 2006058101	A3	20071221	WO 2005US42510	A	20051121	200812	E

NOVELTY - An imported subject document and the imported reference document of two design images are compared. A composite document is created based on the comparison results between reference and subject document images... allow the output to be configured and or filtered to allow various display modes and image combinations, and since the comparison is computer generated all differences noted will be output as specified and the user can select an appropriate display mode to view what they wish to see. Another associ of the invention is that.....

Claims

claimed is:1. A method for design checking of at least two design images, the method comprising the following:the step of importing a subject document; the step of importing a reference document; andsteps for comparing the subject document with the reference document; steps for creating a composite document showing the comparison results between the reference document and the subject document.s Basic Derwent Wesk: 200639.

- 13/3.K/4 (Item 4 from file: 350)
- DIALOG(R) File 350: Derwent WPIX
- (c) 2009 Thomson Reuters. All rights reserved.

Method for replicating file involves generating delta file by updating reference file at local storage and replicating reference file at target storage by combining base file and delta file Patent Assignee: LI H (LIHH-I); STAKUTIS C J (STAK-I); WILKINSON E D (WILK-I); INT BUSINESS MACHINES CORP (IBMC)

Inventor: LI H: STAKUTIS C J: WILKINSON E D

		Patent Far	mily (2 patents, 1 coun	tries))		
Patent Number	Kind	Date	Application Number	Kind	Date	Update	Туре
US 20060075004	A1	20060406	US 2004958724	A	20041004	200630	В
US 7401192	B2	20080715	US 2004958724	Α	20041004	200848	E

Abstract

generated at local storage from a base file copied to target storage file system. The reference file is updated while generating a delta file which indicates difference between updated file and reference file. A file system command is used to transmit and store the data file to the target storage. The reference... ... the copied file is generated at a local storage. An update is applied to the file at the local storage. A delta file is generated indicating differences between the updated file at the local storage and the reference file. A file system command is used to transmit the delta file to the... ...

Claims:

a reference file comprising the copied file at a local storage, applying an update to the file at the local storage, generating a delta file indicating differences between the updated file at the local storage and the reference file, andusing a file system command to transmit the delta file to the..... an update to the file subject to replication at the local storage to generate an updated file at the local storage storage, generating a delta file indicating differences between the updated file at the local storage and the reference file; generating a code identifying the reference file; using a file system command to.... to the target storage file system to store in a directory of the target storage file system; receiving a replication request to replicate the updated file from the delta file in the target

storage file system; using the code to determine whether the base file at the target storage file system matches the reference file at the local storage in response to the replication request; and replicating the updated file from a combination of the base file and the delta file stored in the target storage in response to determining that the base file matches the reference file.» Basic Derwent Week: 200630

- 13/3,K/5 (Item 5 from file: 350)
- DIALOG(R) File 350: Derwent WPIX
- (c) 2009 Thomson Reuters, All rights reserved.

Computer verification method for file error detection, involves comparing set of output results of test file with set of output results of verified model file, for generating error report

Patent Assignee: INT BARCODE CORP (ITBA-N); LUBOW A (LUBO-I)

Inventor: LUBOW A

		Patent Fam	ily (2 patent	s, 106 co	untries	3)	
Patent Number	Kind	Date	Application	Number	Kind	Date	Update Type
WO 2005050397	A2	20050602	WO 2004US	8602	Α	20041117	200543 B
US 20050149811	A1	20050707	US 2003520	327	Р	20031117	200547 E
			US 2004991	090	Α	20041117	

Abstract:

NOVELTY - A model file including set of model output results, is generated based on input parameters. The output results of model file are verified with the expected results. A test file including set of output results, is generated. The output results of test file are compared with the output results of verified model file, for generating an error report..... A system and method is provided that includes verifying that a computer system generates an output file that conforms to a model output file comprising one or more expected output results. The system and method comprises generating one or more file toutput results by applying one or more input parameters to a first computer system. It is then.... are then verified by electronically comparing them with the one or more second output results. It is verified that the computer system generates an output file that conforms to the model output file and generates a desired result. ...Basic Derwent Week:

Determination of differences between a terminal system message and a reference message for use in a hierarchical telecommunications system by undertaking a comparison and message structure analysis between the messages

Patent Assignee: ROHDE & SCHWARZ GMBH & CO KG (ROHD-N); MICHL A (MICH-I)

^{13/3,}K/9 (Item 9 from file: 350)

DIALOG(R) File 350: Derwent WPIX

⁽c) 2009 Thomson Reuters, All rights reserved.

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
DE 10313910	A1	20041007	DE 10313910	Α	20030327	200471	В
WO 2004086224	A1	20041007	WO 2004EP1225	Α	20040210	200471	E
EP 1606707	A1	20051221	EP 2004709612	Α	20040210	200601	E
			WO 2004EP1225	А	20040210		
KR 2005119656	Α	20051221	WO 2004EP1225	Α	20040210	200652	E
			KR 2005717898	Α	20050923		
CN 1764900	Α	20060426	CN 200480008068	Α	20040210	200654	E
JP 2006521726	W	20060921	WO 2004EP1225	Α	20040210	200662	E
			JP 2006504415	Α	20040210		
US 20070033527	A1	20070208	WO 2004EP1225	Α	20040210	200713	E
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	US 2006550949	Α	20060502		
EP 1606707	B1	20071219	EP 2004709612	Α	20040210	200802	E
			WO 2004EP1225	Α	20040210		
DE 502004005755	G	20080131	DE 052004005755	Α	20040210	200810	E
			EP 2004709612	Α	20040210		
			WO 2004EP1225	A	20040210		
ES 2297380	Тз	20080501	EP 2004709612	Α	20040210	200833	E

NOVELTY - Method for detecting deviations in a hierarchical terminal system of a telecommunications arrangement, whereby modular terminal system messages are compared with reference messages. Accordingly a reference message is read in, a terminal system message is read in, a message structure analysis is undertaken, deviations in the terminal system message are determined and structure units that differ from the reference message are output... The invention relates to a method for determining deviations of a modular end-system message, generated in a hierarchically structured end-system of a telecommunications device, from a reference message. Once a reference message has been read, an end-system message that has been generated in the end system is read. A message-structure analysis is carried out both for the reference message and the end-system message. Any deviations of the end-system message from the reference message are determined from the message structure and the structural units (23, 24, 24, 1 END, 24.1.1 END, 28) of the end-system message (17) that deviate from the reference message are output..... a method for determining deviations of a modular end-system message, generated in a hierarchically structured end-system of a telecommunications device, from a reference message. Once a reference message has been read, an end-system message that has been generated in the end system is read. A message-structure analysis is carried out both for the reference message and the end-system message. Any deviations of the end-system message from the reference message are determined from the message structure and the structural units (23, 24,24.1 END. 24.1.1 END. 28) of the end-system message (17) that deviate from the reference message are output... ...

Claims:

Method for determining deviations of a modularly constructed end-system message (17), generated in a hierarchically constructed end-system of a telecommunication facility, from a reference message (7), with the following procedural steps: - Reading in of..... the reference message (7), - Execution of a message structure analysis of the generated end-system message (17). Display of the overall message structure of the reference message (7) and the end-system message (17). Marking of any displayed structure unit of reference message (7), - Marking of any displayed structure unit of end-system message (17). Determination of deviations of the marked part of the end-system for the end-system message (17).

message (17) from the marked part of the reference message (7), and-Output of structure units (23,24, 24.1END, 24.1.1END, 28) of the end-system message (17) generated in the end-system which differ from the marked part of the reference message (7), in a first area (20) of a screen display, characterized in that in a second area (21) the structure units (23, 24, 24.1END.... Basic Derwent Week: 200471

13/3,K/12 (Item 12 from file: 350)

DIALOG(R) File 350: Derwent WPIX

(c) 2009 Thomson Reuters. All rights reserved.

Hierarchical document comparison method involves performing character-by-character comparison of data in old and new versions of specified document, for identifying segments in documents containing differences

Patent Assignee: APLIX RES INC (APLI-N)

Inventor: CHING P W

		Patent Fa	amily (1 pa	ents, 1 co	untries)	
Patent Number	Kind	Date	Application	n Numbe	r Kind	Date	Update Type
US 6560620	В1	20030506	US 199936	6367	Α	19990803	200351 B

Claims:

What is claimed is: 1. A method of comparing at least two very large and very similar documents to quickly locate and identify differences in the documents, wherein the documents include a first document and a second document each having a large number of segments, each segment having a label and including a plurality of characters, said method comprising; receiving a request to compare the first document and the second document; performing a character-by-character comparison of at least some of the characters of the first document to at least some of the characters of the second document; determining whether there are differences between the first document and the second document; listing only the labels, and no other content, of only those segments that contain at least one difference in a first display in which the listed segment labels from the first document appear in a first display portion of said first display and the listed segment labels from the second document appear in a second display portion of said first display; receiving a request to display at least one difference between (a) at least one segment of the first document having a segment label listed in said first display portion of said first display and (b) at least one corresponding segment of the second document having a segment label listed in said second display portion of said first display; displaying the characters of the at least one segment of the first document and the characters of the at least one corresponding segment of the second document in a second display in which at least some of the characters of the at least one segment of the first document appear in a first display portion of said second display and at least some of the characters of the at least one corresponding segment of the second document appear in a second display portion of said second display; and distinguishing the characters which are different in said second display. Basic Derwent Week: 200351

(c) 2009 Thomson Reuters. All rights reserved.

Content consistency maintenance method for database management system, involves comparing version number in access token with latest version of externally stored objects, to determine if token refers to current version of object

Patent Assignee: IBM CORP (IBMC); INT BUSINESS MACHINES CORP (IBMC) Inventor: BHATTACHARYA S; BRANNON K W; HSIAO H; NARANG I S

		Patent Far	mily (2 patents, 1 cour	tries			
Patent Number	Kind	Date	Application Number	Kind	Date	Update	Туре
US 20030069902	A1	20030410	US 2001971755	Α	20011005	200346	В
US 6874001	B2	20050329	US 2001971755	А	20011005	200522	E

^{13/3.}K/13 (Item 13 from file: 350)

DIALOG(R) File 350: Derwent WPIX

ADVANTAGE - The metadata and file data consistency in a loose transaction model are efficiently maintained, by comparing the version number of access token with version number of latest committed version... the latest committed version, in order to detect uncommitted updates. A mismatch indicates that stale data is being referenced, and in that situation an appropriate error is returned. compared with the last modification timestamp of the latest committed version, in order to detect uncommitted updates. A mismatch indicates that stale data is being referenced, and in that situation an appropriate error is returned. ... Passic Derwent Week: 200346

- 13/3,K/17 (Item 17 from file: 350)
- DIALOG(R) File 350: Derwent WPIX
- (c) 2009 Thomson Reuters, All rights reserved.

Document format identification apparatus used in client-server environment, has memory which stores generated document format data that contains document format identification data and correction data

Patent Assignee: CANON KK (CANO); KAZUMI K (KAZU-I)

Inventor: KAZUMI K

Patent Number	Kind	Date	Application Number	Kind	Date	Update	Туре
EP 1202213	A2	20020502	EP 2001309095	Α	20011026	200248	В
US 20020052892	A1	20020502	US 2001984119	Α	20011029	200248	E
JP 2002203206	Α	20020719	JP 2001322585	Α	20011019	200262	E
US 6968501	B2	20051122	US 2001984119	Α	20011029	200577	E
JP 3733310	B2	20060111	JP 2001322585	Α	20011019	200608	E
EP 1202213	B1	20061011	EP 2001309095	Α	20011026	200668	E
DE 60123730	E	20061123	DE 60123730	А	20011026	200680	E
			EP 2001309095	Α	20011026		
DE 60123730	T2	20070816	DE 60123730	Α	20011026	200756	E
			EP 2001309095	Α	20011026		

claims:
generating,
based on
the feature
extracted
by said
extraction
means
(12a),
document
format
data (32)
containing
identificatio
n data

(322a) for

identifying a document format and correction information (321a) for indicating a type of said image input apparatus (11) and correcting a feature difference produced by a difference in type of the image input apparatus (11...... for correcting feature location differences resulting from the type of scanner through which the document to be identified was read; andidentification means (12c) for comparing the document format data generated by the document format data generation means for the document to be identified with the document format data of the reference document stored in the storage means to calculate the similarity between the formats of the document to be identified and the reference document, wherein the identification means (12c) is arranged to: use the identification data (321a) indicating the type of scanner through which the document to be identified was read to determine whether feature location correction is required in the stored document format data or the document format data of... generation means for generating, based on the feature extracted by said extraction means, document format data containing identification data for identifying a document format and correction information (for indicating a type of said image input apparatus and correcting a feature difference produced by a difference in type of the image input apparatus; andstorage..... image input apparatus; generating, based on the feature extracted in said extraction step, document format data containing identification data for identifying a document format and correction information for indicating the type of image input apparatus used to read the document and correcting a feature difference produced by different types of image input apparatuses; and... Basic Derwent Week: 200248

13/3,K/21 (Item 21 from file: 350)

DIALOG(R) File 350: Derwent WPIX

(c) 2009 Thomson Reuters. All rights reserved.

Document reading assistance device for organization, has comparator that outputs selected portion of document that contains mutually varying aspects with respect to reference document

Patent Assignee: FUJI XEROX CO LTD (XERF)

Inventor: HAYASHI K; TAKAHASHI M; UEDA M

		Patent Fai	mily (2 paten	ts, 1 cour	ntries)		
Patent Number	Kind	Date	Application	Number	Kind	Date	Update	Туре
JP 2001297080	Α	20011026	JP 200011302	24	A	20000414	200203	В
JP 3879810	B2	20070214	JP 200011302	24	Α	20000414	200714	E

Abstract:

NOVELTY - A memory (11) stores a reference document. An acquisition unit (16) acquires the document for operation. A comparator (14) compares the reference document selected by selection unit (13) and the document acquired by acquisition unit to detect the portion having different aspect. A display section (15) varies the output aspect corresponding to the detected portion and outputs the document for operation. Basic Derwent Week: 200203

13/3.K/24 (Item 24 from file: 350)

DIALOG(R) File 350: Derwent WPIX

(c) 2009 Thomson Reuters. All rights reserved.

Comparison of hierarchical structures such as a base file containing XML statements to a modified file in order to create a third file $\frac{1}{2} \frac{1}{2} \frac{1}{$

Patent Assignee: IBM CANADA LTD (IBMC); INT BUSINESS MACHINES CORP (IBMC)

Inventor: BIRSAN D; SLUIMAN H

		Patent Fa	mily (2 pate	nts, 2 cou	ntries)		
Patent Number	Kind	Date	Application	Number	Kind	Date	Update	Type
CA 2255047	A1	20000530	CA 2255047		А	19981130	200062	В
US 6848078	B1	20050125	US 1999437	619	Α	19991110	200508	E

USE - Comparing base file to a modified file to create a third file... A software tool to allow a user to compare a base file containing XML statements to a modified file and from the comparison, create a third file. The comparison between the base and modified...... Differences between the nodes of the two files are highlighted in a comparison tree and the user may resolve the differences to create a third file or optionally incorporate the selected differences into the base file. As nodes are examined in the comparison tree and decisions made as to which nodes to include in the third file, differences in the comparison tree are resolved. As a difference is resolved, any node in the comparison tree dependent upon the now resolved difference is no longer highlighted if it too has had the difference resolved. The tool is most commonly used to determine changes made to a source code base file and allows the individual maintaining a stable source code base to determine...

Claims

new, and desire to secure by Letters Patent is:1. A method for identifying to a user, the differences between elements of two hierarchically structured files, comprising the steps of:comparing the elements of a base file to the elements of a modified file; displaying to the user a tree structure.... structure, the differences between said elements of said base and said modified files; allowing the user to resolve said differences between elements. thereby creating a merged file containing elements from said base file and elements from said modified file; indicating to the user, in the tree structure, differences between elements by one of the identifiers: new, changed or removed; and/or an element identified as new, providing the user with the following options:a) do not use the new element, whereby the new element is not incorporated into said merged... Basic Derwent Week: 200062

Querying and navigating changes in web repositories - in which differences between explored documents are computed automatically and summarised in new HTML page, and differences in link structure shown via graphical representations
Patent Assignee: AT & T CORP (AMTT)

Inventor: BALL T.J: CHEN Y.B: DOUGLIS F: KOUTSOFIOS F

		Patent Far	mily (5 patents, 20 cou	intries)		
Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
WO 1997031319	A1	19970828	WO 1997US2407	Α	19970218	199740	В
US 5860071	Α	19990112	US 1997797756	Α	19970207	199910	E
EP 922258	A1	19990616	EP 1997907643	Α	19970218	199928	E
			WO 1997US2407	Α	19970218		
JP 2001508561	W	20010626	JP 1997530259	Α	19970218	200140	E
			WO 1997US2407	Α	19970218		
CA 2246650	С	20010724	CA 2246650	Α	19970218	200147	E
			WO 1997US2407	Α	19970218		

Abstract:

The method for a user to track changes in a document repository involves storing two versions of a document, each document including textual information and structural links, and one version of which is a base document, from different times in a database, and comparing the stored document versions to determine any differences in the text or structural links...... database is checked to determine whether the database contains two versions of documents to which the base document contains structural links. The textual and structural differences between the two document versions are displayed, to include an indication of whether two versions of the linked documents are stored in the database... may explore the differences between documents with respect to two dates. Differences between documents are computed automatically and summarized in a new HTML page.

^{13/3,}K/29 (Item 29 from file: 350)

DIALOG(R) File 350: Derwent WPIX

⁽c) 2009 Thomson Reuters. All rights reserved.

and differences in link structure are shown via graphical representations. The present invention is the combination of two tools that complement one another. The AT & T Internet Difference Engine (AIDE) is a tool for tracking and...... Basic Derwent Week: 199740

13/3.K/32 (Item 32 from file; 350)

DIALOG(R) File 350: Derwent WPIX

(c) 2009 Thomson Reuters. All rights reserved.

Structured document difference extraction method - in which difference character string between structured documents is extracted in accordance with linguistic sense of document editor taking into account logical meaning and structure Patent Assignee: HITACHI LTD (HITA)

Inventor: AOYAMA Y: HIGASHINO J: TONO J

		Patent Fa	mily (9 patents, 5 cou	ntries)		
Patent Number	Kind	Date	Application Number	Kind	Date	Update	Туре
EP 747836	A1	19961211	EP 1996108939	Α	19960604	199703	В
JP 8329079	Α	19961213	JP 1995161398	Α	19950605	199709	Έ
US 5956726	Α	19990921	US 1996657306	Α	19960603	199945	E
US 6098071	Α	20000801	US 1996657306	Α	19960603	200039	E
		Ĭ	US 1999326579	Α	19990607		
US 6526410	В1	20030225	US 1996657306	Α	19960603	200323	E
			US 1999326579	Α	19990607		
			US 2000604261	Α	20000627		
EP 747836	B1	20050316	EP 1996108939	Α	19960604	200522	E
DE 69634459	E	20050421	DE 69634459	Α	19960604	200528	E
			EP 1996108939	Α	19960604		
JP 3724847	B2	20051207	JP 1995161398	Α	19950605	200580	E
DE 69634459	T2	20060112	DE 69634459	Α	19960604	200611	E
	1		EP 1996108939	Α	19960604		

Abstract:

editor taking the logical meaning and structure of the structured documents into consideration.
Structured documents are edited and stored in a memory unit by a document editing program. With
reference to a comparison criterion set for the logical structure of each structured document
before and after edition, the logical structure of the structural documents before and after edition read
from the memory unit is analyzed by a structured document parsing program, and the difference
between the structured documents is extracted by a structured document difference extraction
program in such a manner as to satisfy the comparison criterion in accordance...

Claims

a comparison objective element is defined as one for which non-coincidence of occurrence order of the element is not to be taken into consideration, determining the comparison result of said comparing step indicating non-coincidence in the occurrence order as a difference between the structured documents to be excluded from extraction. Basic Derwent Week: 199703

13/3, K/35 (Item 35 from file: 350)

DIALOG(R) File 350: Derwent WPIX

(c) 2009 Thomson Reuters. All rights reserved.

Information processing device - compares produced file and information indicating file for

access set up beforehand and forms comparison result information result indicating coincidence of produced file for access

Patent Assignee: CANON KK (CANO)

Inventor: NAKAKOSHI H

		Patent	Family (1	patents,	1 countri	ies)			
Patent Number	Kind	Date	Applic	ation Nu	mber Ki	nd D	ite (Jpdate	Туре
JP 7325743	A	1995121	2 JP 199	4141006	А	1994	0531 1	99612	В

Abstract:

A reference unit produced a file. The produced file and the information indicating the file for access set up beforehand are compared. A comparison result information is formed indicating the coincidence of the produced file and the file for access. A holder maintains a produced file...

...ADVANTAGE - Performs access to object file without being conscious of hierarchial structure of file. Eliminates correction of information indicating file for access associated with file position change. Basic Derwent Week; 199612...

18/3,K/1 (Item 1 from file: 350)

DIALOG(R) File 350: Derwent WPIX

(c) 2009 Thomson Reuters. All rights reserved.

Method for comparing versions of file, involves calculating fine signature for revised file block when coarse signature of base file and revised file segments are matched Patent Assignee: NOVELI INC (NOVE-N)

Inventor: MIJETHY M H: SRIVASTAVA P K

		Patent Fa	mily (1 pater	nts, 1 cou	ntries)		
Patent Number	Kind	Date	Appl	ication	Number	Kind	Date	Update	Type
US 7320009	В1	20080115	US 20	0034026	303	Α	20030328	200954	В

Abstrac

Claime

the differences between the versions, the method comprising; obtaining a fine signature and a coarse signature for at least one segment of data of a base file; accessing a revised version of the base file; obtaining a segment of data of the revised version and calculating a coarse signature for the obtained segment of the revised version. Indetermining whether the coarse signature for the obtained segment of the revised version matches the coarse signature for the at least one data segment in the base file; if a match of the coarse signatures is present, calculating a fine signature for the obtained segment of the revised version of the base file and comparing the fine signature to the fine signature for at least one data segment of the base file; if the fine signatures match, storing a fine signature for the segment of the revised version; if a match of the coarse signatures is not..... comparing said another

coarse signature for said another segment of data to said coarse signature for said at least one segment of data of said base file; and recursively repeating said calculating said another coarse signature and said comparing said another coarse signature to said coarse signature for said base file until a match, if possible, is obtained.

10/0 M/0 M - - 0 for - M - 050

18/3,K/2 (Item 2 from file: 350)

DIALOG(R) File 350: Derwent WPIX

(c) 2009 Thomson Reuters. All rights reserved.

Delta file creation determining method, involves determining whether differences between base file and revised version exceed of base file threshold change amount, and avoiding completion of delta file, when amount is exceeded

Patent Assignee: NOVELL INC (NOVE-N)

Inventor: H S M; SRIVASTAVA P K

Patent Family (1 patents, 1 countries)							
Patent Number	Kind	Date	Applica	tion Number	Kind	Date	Update Type
US 20070288533	Α1	20071213	US 2003	402603	Α	20030328	200805 B
			US 2007	891962	Α	20070814	

Abstract:

NOVELTY - The method involves determining whether differences between a base file and a revised version of the base file exceed a threshold change amount, and shifting a reference frame of data of a set length of the revised file. An amount of the shifting is counted, when a comparison of signatures of the base file and the revised file do not match, and the completion of a delta file is avoided, when the threshold change amount is exceeded. A copy of the revised version is transmitted for replication purposes. ... ADVANTAGE - The determination is made whether the differences between the base file and the revised version of the base file exceeds the threshold change amount, thus generating the delta file in an effective and faster manner... Methods and systems for efficient file replication are provided. In some embodiments, one or more coarse signatures for blocks in a base file are compared with those coarse signatures for blocks of a revised file, until a match is found. A fine signature is then generated for the matching block of the revised file and compared to a fine signature of the base file. Thus, fine signatures are not computed unless a coarse signature match has been found, thereby minimizing unneeded time-consuming fine signature calculations. Methods are also provided for determining whether to initiate a delta file eneration alsorithm...

Claims

What is claimed is: 1. A computerized method for determining whether to create a delta file reflecting differences between a base file and a revised version of the base file, the method comprising: determining whether the differences between a base file and a revised version exceed a threshold change amount, further including shifting a reference frame of data of a set length of the revised file and counting an amount of said shifting when a comparison of signatures of the base file and the revised file do not match; andif the threshold change amount is exceeded, avoiding the completion of a delta file and transmitting a copy of the revised version for replication purposes.

18/3,K/6 (Item 6 from file: 350)

DIALOG(R) File 350: Derwent WPIX

(c) 2009 Thomson Reuters. All rights reserved.

Storage requirement reduction method for backup subsystem in client-server - involves comparing uncompressed current segment of base version of file with corresponding segment of changed version of file where difference has been detected Patent Assignee: INT BUSINESS MACHINES CORP (IBMC)

Inventor: MORRIS R J T

		Patent	Family	(1 pater	ts, 1 cou	ntries)		
Patent Numb	er Kind	Date	Ар	plication	Number	Kind	Date	Update	Type
US 5574906	Α	199611	12 US	19943282	04	Α	19941024	199651	В

an uncompressed format, using the communication link, from the client to the backup subsystem is used to difference changed version of the file and the multiple compressed segments of the base version of the file. The uncompressed current segment of the base version of the file is compared with the corresponding segment of the changed version of the file is compared with the corresponding segment of the changed version of the file where the difference has been detected. Whether the differencing procedure is back in sync at the end of the current segment of the base version... server environment, a method and means for reducing the storage requirement in the backup subsystem and further reducing the load on the transmission bandwidth where base files are maintained on the server in a segmented compressed format. When a file is modified on the client, the file is transmitted to the server and compared with the segmented compressed base version of the file utilizing a differencing function but without decompressing the entire base file. A delta file which is the difference between the compressed base file and the modified version of the file is created and stored on a storage medium which is part of the backup subsystem. Alternatively, a copy of frequently accessed base files are maintained.....

Claims:

of said file at the client; transmitting a changed version of said file in an uncompressed format, using the communication link, from the client to the backup subsystem; and differencing using the backup subsystem; the changed version of said file and the multiple compressed segments of the base version of said..... of said file, known as the current segment, if a difference has been detected; comparing the uncompressed current segment of the base version of said file and the corresponding segment of the changed version of said file where the difference has been detected; certermining whether the differencing procedure is back in synch at the end of the current segment of the base version of said file; and storing the changed version of said file in the compressed segmented format.

22/3,K/1 (Item 1 from file: 350)

DIALOG(R) File 350: Derwent WPIX

(c) 2009 Thomson Reuters. All rights reserved.

Patent document's reference relationship analysis program, has instruction to determine whether reference patent document found as result of search is contained or not contained in reference data using determination unit

Patent Assignee: FUJITSU LTD (FUIT)

Inventor: OGAWA T

Patent Family (1 patents, 1 countries)						
Patent Number Kind	Date	Application Number	Kind	Date	Update Type	
JP 2008276680 A	20081113	JP 2007122360	Α	20070507	200877 B	

Abstract

An investigation analysis of an efficient patent is enabled. The data storing means 2 stores the reference data which show the relationship between a patent document and the reference patent document which refers a patent document. The acquisition means 3 acquires the novel reference data which show the relationship of the.....found as a result of the search is contained in reference data. The display means 6 distinguishes and displays the discrimination|determination result of the reference patent document discriminate|determined by the discrimination|determination means 5 on the reference patent document contained in reference data. And the reference patent document which was not contained in reference data. FIG. 1 This invention relates to a patent analysis program, the patent analysis method, and a patent analyzer. Specifically, It is related with the patent analysis program, the patent analysis method, and patent analyzer which analyze the reference relationship of a patent document. In this invention, the discrimination idetermination result

discriminate determined by the discrimination determination means is distinguished to the reference patent document contained in reference data, and the reference patent document which was not contained in reference data, and was displayed, ThereforeA new relationship can be known efficiently and analysis quality improves it. ...

Claims:

between a patent document and the reference patent document which refers the said patent document, An acquisition means to acquire the novel reference data which show the relationship of the new reference patent document which refers a patent document. A search means to search the reference patent document which refers the patent document used as investigation object from the... of the search discriminate/determines whether it is contained in the said reference data. The display means which distinguishes and displays the said reference patent document contained in the said reference data in the discrimination/determination result of the said reference patent document discriminate/determined by the said discrimination/determination means, and the said reference patent document that was not contained in the said reference data, it is made to function as these. The patent analysis program characterized by the above-mentioned.

22/3.K/4 (Item 4 from file: 350)

DIALOG(B) File 350: Derwent WPIX

(c) 2009 Thomson Reuters. All rights reserved.

Portable document format document management system determines PDF document to be duplicate, updated and new document based on whether key information extracted from each PDF document matches with stored reference data

Patent Assignee: 12 TECHNOLOGIES INC (ITWO-N); 12 TECHNOLOGIES US INC (ITWO-N) Inventor: CHANDRAMOULL N: KANCHIRAYAPPA V N

		Patent Far	mily (5 patents, 3 cour	ntries)		
Patent Number	Kind	Date	Application Number	Kind	Date	Update	Type
US 20030106017	A1	20030605	US 20018898	Α	20011205	200358	В
DE 10255128	A1	20030724	DE 10255128	Α	20021126	200358	E
TW 591428	Α	20040611	TW 2002134662	Α	20021128	200506	E
US 6895550	B2	20050517	US 20018898	Α	20011205	200533	E
TW 200300889	Α	20030616	TW 2002134662	Α	20021128	200556	E

Abstract:

NOVELTY - Key information is extracted from each portable document format (PDF) file received from an external application. The PDF document is determined to be duplicate, updated and new document, when all, some and no information match with the stored reference information. The PDF file is returned to the external application, after storing all, some and no key information, if the document is new, updated and duplicated, respectively..... A PDF file is received from an external application and key information from the PDF file, concerning a PDF document contained in the PDF file. Is extracted. The extracted key information is compared with analogous reference information stored for previously received..... the PDF document is a duplicate document, processing of the PDF file is returned to the application without storing any extracted key information as reference information. If the PDF document is an updated document, certain extracted key information is stored to update the reference information and processing of the PDF file is returned to the application. If the PDF document is new, all extracted key information is stored as reference information and processing of the PDF file is returned to the application.

Claims:

operable to store reference information for a plurality of previously received PDF documents; andone or more software components collectively operable to; receive a plurality of files from one or more external applications; determine whether each received file is a PDF file; extract key information from each received PDF file concerning a corresponding PDF document contained in the PDF file; compare the extracted key information for each received PDF document with analogous reference information stored in the database for previously received PDF documents; determine a verification status for each received PDF document according to the comparison and provide the verification status to the external application from which the PDF file was received, the verification status indicating that the received PDF document is a duplicate document if all the extracted key information for the received PDF document matches analogous reference information for a previously received PDF document, the verification status indicating that the received PDF document is an updated document if certain but not all the key extracted information for the received PDF document matches analogous reference information for a previously received PDF document, the verification status indicating that the received PDF document is a new document if at least certain extracted key information for the received PDF document does not match analogous reference information for a previously received PDF document; if the received PDF document is a duplicate document, return processing of the received PDF file to the external application from which it was received, without storing any extracted key information for the received PDF document in the database as reference information; if the received PDF document is an updated document, store certain extracted key information for the received PDF document in the..... with analogous reference information stored for a plurality of previously received PDF documents; determining a verification status for each received PDF document according to the comparison and providing the verification status ... extracted information for the received PDF document matches analogous reference information for a previously received PDF document, the verification status indicating that the received PDF document is a new document if at least certain extracted key information for the received PDF document does not match analogous reference information for a previously received PDF document; if the received PDF document is a duplicate document, returning processing of the received PDF file to the external application from which it was received, without storing any extracted key information for the received PDF document as reference information; if the received PDF document is an updated document, storing certain extracted key information for the received PDF document to update the reference information, and returning processing of the received PDF file to the external application from which it was received; and if the received PDF document is a new document, storing all extracted key information for the received PDF document as reference information, and returning processing of the received PDF file to the external application...

22/3.K/6 (Item 6 from file: 350)

DIALOG(R) File 350: Derwent WPIX

(c) 2009 Thomson Reuters, All rights reserved.

File location determining method involves determining modification status for directory tree folder in response to match between criteria of file location request and search criteria column of search record

Patent Assignee: MICROSOFT CORP (MICT)

Inventor: SAXTON T W Patent Family (1 patents, 1 countries) Patent Number Kind Date Application Number Kind Date Update Type US 6370549 20020409 US 1999224698 19990104 200247 B

Abstract:

NOVELTY - A modification status is determined for a directory tree folder referenced in component file location that is included in a search record, in response to a match between criteria of a file location request and search criteria column (302) of the search record. The component file location included in the search record is returned as valid file... the file location of the component file has changed or has never been searched, then an attempt is made to locate the file and the new file location is returned. All file locations are stored in a file location cache so that subsequent searches can be minimized. When either the search criteria does not exist... ...

cache including a plurality of search records, wherein each of the search records includes search criteria and component file location; (c) in response to a match between the criteria of the file location request and the search criteria of at least one search record, determining a modification status for a directory tree folder referenced in the component file location included in said at least one search record; and(d) in response to a determination that the modification status is unchanged, returning the component file location included in said at least one search record as a valid file location for the component file that was requested.

```
14/3K/8 (Item 8 from file: 348)
DIALOG(R)File 348: EUROPEAN PATENTS
(c) 2009 European Patent Office, All rights reserved.
```

Method and apparatus for generating structured document

Patent Assignee:

Hitachi, Ltd.; (204144)
 Kanda Surugadai 4-chome; Chiyoda-ku, Tokyo; (JP)
 (Applicant designated States: all)

Inventor:

- · Sato, Yoshifumi
- 40-1, Utsukushigaokanishi-2-chome; Aoba-ku, Yokohama-shi; (JP)
- Hino, Masatoshi 26-20-612, Sagamigaoka-6-chome; Zama-shi; (JP)

Legal Representative:

Strehl Schubel-Hopf & Partner (100941)
 Maximilianstrasse 54; 80538 Munchen; (DE)

	Country	Number	Kind	Date	
Patent	EP	768612	A2	19970416	(Basic)
	EP	768612	АЗ	20050216	
Application	EP	96113874		19960829	
Priorities	JP	95223017		19950831	

Specification:

in the above manner performs a parsing process relative to the keyword/text model generated by the keyword extracting module, and generates an interim structured document matching the modified document structure definition, in accordance with the parsing results recorded in the keyword/text model. A structured document correcting module refers to the difference stored when the document structure definition was modified, and output a structured document matching the document structure definition was modified in a layout definition and a second document structure definition support the generation of a keyword extraction rule used for extracting...

14/3K/12 (Item 12 from file: 348)
DIALOG(R) File 348: EUROPEAN PATENTS
(c) 2009 European Patent Office. All rights reserved.

Method and apparatus for accessing the same computer file using different file name formats.

Patent Assignee:

AT&T Corp.; (589373)
 32 Avenue of the Americas; New York, NY 10013-2412; (US) (applicant designated states; DE:FR:GB)

Inventor:

Bauer, Eric Jonathan
 53 Lenape Trail; Tinton Falls, New Jersey 07724; (US)

Legal Representative:

Harding, Richard Patrick et al (41294)
 Marks & Clerk, Alpha Tower, Suffolk Street Queensway; Birmingham B1 1TT; (GB)

	Country	Number	Kind	Date
Patent	EP	588488	A1	19940323 (Basic
Application	EP	93306359		19930811
Priorities	US	932151		19920819

Specification:

the DOS name lookup strategy of FIG. 6 or FIG. 7 is used (discussed in later paragraphs). In step 509 it is determined if a matching name has been found. If it has been found then, in step 513, the server returns a success indication with a reference to the found file name. If the DOS file name was not found in step 511 a file name not found error is returned to the client. In step 505, if it's determined that a DOS prefix suffix was not used then, in step 515, it is determined...

14/3K/13 (Item 13 from file: 348)
DIALOG(R) File 348: EUROPEAN PATENTS
(c) 2009 European Patent Office, All rights reserved.

Learning machine with multi-input single output circuits connected in hierarchical structure.

Patent Assignee:

 MATSUSHITA ELECTRIC INDUSTRIAL CO., LTD; (216884) 1006, Oaza Kadoma, Kadoma-shi; Osaka 571; (JP) (applicant designated states: DE;FR;GB)

Inventor:

- Sakaue, Shigeo
- 16-8, Yamaoto Maruhashi-1-chome; Takarazuka-shi; (JP)
- Kohda, Toshiyuki
 - Howaiti Haitsu A102, 26-5, Kawazoe-2-chome; Takatsuki-shi; (JP)
- Shimeki, Yasuharu
 - 8-A10-209, Yamadanishi-2-chome; Suita-shi; (JP)
- Takagi, Hidevuki
 - 4-5, Osumigaoka-1-chome, Tanabecho; Tsuzuki-gun, Kyoto; (JP)
- Togawa, Havato
 - 12-2, Mukogaoka-1-chome, Bunkyo-ku; Tokyo; (JP)

Legal Representative:

Smith, Norman Ian et al (36041)
 F.J. CLEVELAND & COMPANY 40-43 Chancery Lane; London WC2A 1JQ; (GB)

	Country	Number	Kind	Date
Patent	EP	579341	A2	19940119 (Basic
	EP	579341	АЗ	19940330
Application	EP	93202797		19900220
Priorities	JP	8943730		19890223
	JP	8947610		19890228

Specification:

original document) is a sum of the outputs from all the multi-input single-output circuits in the output layer, and (see image in original document) (see image reference in original document) is vector including weight (i,i) as a component (hereinafter referred to weight vector). As seen from Equation (2), the error E can be expressed as a square sum of a difference between a teacher signal and an actual output signal and so is a function of the weight vector w. A purpose of the learning is to change the weight vector to minimize a...or sence of this weight changing vector is referred to a weight changing direction. In this embodiment, a conjugate gradient direction is used as the weight changing direction. The conjugate gradient direction is given by (see image in original document) where (see image in original document) (see image reference in original...and 8; (see image reference in original document)(sub 0) is vector representation of the value of weight initialized by a random number: (see image reference in original document)(sub 0) is the most sudden drop direction in first learning: P(sub 1) is an error minimum point in the first learning: (see image reference in original document)(sub 1) is the most sudden drop direction at point P(sub 1); and P(sub 2) is an error minimum point in second learning.....according to this embodiment, the weights in all the multipliers are first initialized by a random number; this means that the starting point ((see image reference in original document)(sub 0)) on the error curve in Fig. 11 is set for the random number. An object of the learning is, by changing the weights.....the search of the error minimum point to reach a general error minimum point. In the first learning, the most sudden drop direction (see image reference in original document)(sub 0) expressed by Equation (4) is set as the weight changing direction, and the point where the error in the direction of (see image reference in original document)(sub 0) is minimum is acquired. This is referred to as straight-line searching in the direction of (see image reference in original document)(sub 0). The learning parameter initialization unit 66 produces a positive value which is suitable as an initial value of the learning parameter in the...into a local error minimum point. The straight-line searching unit 67 varies the learning parameter twice or half in the direction of (see image reference in original document) (sub 1) to provide a weight changing amount decreasing the error. The parabola approximation unit 68 parabolaapproximates the error curve to...the second learning is set for the conjugate gradient direction expressed by Equation (11) using the most sudden drop direction (see image reference in original document)(sub 1) at P(sub 1) and the weight changing direction (see image reference in original document)(sub 0) (= (see image reference in original document)(sub 0)) in the first learning. The error minimum point P(sub 2) for the direction of (see image reference in original document)(sub 1) can be acquired by the straight-line searching for the direction of (see image reference in original document)(sub 1). If the conjugate gradient direction is adopted as the weight changing direction as in Fig. 15, the error can be minimized by the learning carried out in the smaller number of times than in the...

^{14/3}K/20 (Item 20 from file: 348) DIALOG(R)File 348; EUROPEAN PATENTS

Method and data processing system of document definition utilizing a list directed expression architecture

Patent Assignee:

International Business Machines Corporation; (200120)
 Old Orchard Road; Armonk, N.Y. 10504; (US)
 (applicant designated states: DE:FR:GB)

Inventor:

- Barker, Barbara A.
- 2800 Carmel Road; Round Rock Texas 78681; (US)
- · Edel, Thomas R.
 - 9410 Topridge Drive; Austin Texas 78750; (US)
- · Stark, Jeffrey A.
 - 2905 Valleyview Drive; Grapevine Texas 76051; (US)

Legal Representative:

Therias, Philippe et al (77261)
 Compagnie IBM FRANCE, Departement de Propriete Intellectuelle; 06610 La Gaude; (FR)

	Country	Number	Kind	Date	
Patent	EP	349462	A2	19900103	(Basic)
	EP	349462	АЗ	19920916	
Application	EP	89480094		19890607	
Priorities	US	213429		19880630	

Specification:

element 42 may also refer to document index 44 since like parameters are included therein. Referring again to Figure 4, the possibility of different formatted outputs which result from the variation in the semantic content of a reference to a particular document index may be seen. As is illustrated, formatted output 62 is one example of a portion of a document which may be generated as a result of a reference to document index 44 which includes an ancestor semantic reference. In contrast, formatted output 64 illustrates one example of an output which may be generated by a content reference from paragraph element 42.

14/3K/25 (Item 25 from file: 348)
DIALOG(R) File 348: EUROPEAN PATENTS
(c) 2009 European Patent Office. All rights reserved.

 $\label{lem:modeling} \mbox{ Methods for the modeling and fault simulation of complementary metal oxide semiconductor circuits.}$

Patent Assignee:

International Business Machines Corporation; (200120)
 Old Orchard Road; Armonk, N.Y. 10504; (US)
 (applicant designated states: DE:FR; GB)

Inventor:

Barzilai, Zeev

122 Hidden Hollow: Millwood N.Y. 10546; (US)

· Ivengar, Vijay Sourirajan

- 33 Old Locust Avenue; Peekskill, N.Y. 10566; (US)
- Rosen, Barry Kumin RR1, Box 398; Stormville New York 12582; (US)

Legal Representative:

Jost, Ottokarl, Dipl.-Ing. (6092)
 IBM Deutschland Informationssysteme GmbH, Patentwesen und Urheberrecht; D-70548
 Stuttoart: (DE)

	Country	Number	Kind	Date	
Patent	EP	229975	A2	19870729	(Basic)
	EP	229975	АЗ	19890426	
	EP	229975	B1	19931027	
Application	EP	86117140		19861209	
Priorities	US	815435		19851231	

Specification:

Table 5 summarizes the coverage results for both classes of faults. These results are averages over a series of 6 experiments for each model. By comparing the coverage for stuck-at faults with the results for Model 1 (the accurate model incorporating both hazard and charge sharing phenomena) it was noted that the stuck-at faults are uncovered well before the transistor open faults. Moreover, ignoring charge sharing effects (Model 2), or the invalidation of test patterns due to hazards (Model 3), or both (Model 4), does not change this relation. On the other hand, ignoring either or both of these phenomena (i.e., charge sharing and hazards) leads to a...

14/3K/28 (Item 28 from file: 349) DIALOG(R) File 349: PCT FULLTEXT

(c) 2009 WIPO/Thomson. All rights reserved.

METHOD FOR DETERMINING DEVIATIONS OF AN END-SYSTEM MESSAGE FROM A REFERENCE MESSAGE

Patent Applicant/ Patent Assignee:

ROHDE & SCHWARZ GMBH & CO KG

Muhldorfstrasse 15, 81671 Munchen; DE; DE(Residence); DE(Nationality); (For all designated states except: US)

Patent Applicant/ Inventor:

MICHL Andreas

Mutschellestrasse 4, 81673 Munchen; DE; DE(Residence); DE(Nationality); (Designated only for: US)

Legal Representative:

KORFER Thomas(agent)

Mitscherlich & Partner, Sonnenstrasse 33, Postfach 33 06 09, 80066 Munchen: DE:

	Country	Number	Kind	Date
Patent	WO	200486224	A1	20041007
Application	wo	2004EP1225		20040210
Priorities	DE	10313910	[20030327

English Abstract:

The invention relates to a method for determining deviations of a modular end-system message, generated in a hierarchically structured end-system of a telecommunications device, from a reference message. Once a reference message has been read, an end-system message that has been generated in the end system is read. A message-structure analysis is carried out both for the reference message and the end-system message. Any deviations of the end-system message from the reference message are determined from the message structure and the structural units (23, 24, 24.1END, 24.1.1END, 28) of the end-system message (17) that deviate from the reference message are output.

14/3K/42 (Item 42 from file: 349)

DIALOG(R) File 349: PCT FULLTEXT

(c) 2009 WIPO/Thomson, All rights reserved,

FILE COMPARISON FOR DATA BACKUP AND FILE SYNCHRONIZATION

Patent Applicant/ Patent Assignee:

CONNECTED CORPORATION

Inventor(s):

- CANE David
- HIRSCHMAN David
- SPEARE Philip
- VAITZBLIT Lev
- MARSON Howard

	Country	Number	Kind	Date
Patent	WO	9835306	A1	19980813
Application	wo	98US2434		19980210
Priorities	US	9737597		19970211

Detailed Description:

is known in the art and is taught, inter alia, in U.S. Patent No. 5.479.654 entitled APPARATUS AND METHOD FOR RECONSTRUCTING A FILE FROM A DIFFERENCE SIGNATURE AND AN ORIGINAL FILE, issued to Squibb, which is incorporated herein by reference. A file is selected from a storage device 10 in a source system 12 as indicated in step 14. The selected file is compared with files on a storage device 16 in a target system 18 by file name as indicated in step 20. As a performance enhancing variation a list of target system files can be maintained on the source system. If no matching file name is located on the target system 18...

14/3K/43 (Item 43 from file: 349) DIALOG(R) File 349: PCT FULLTEXT (c) 2009 WIPO/Thomson, All rights reserved.

COMPUTER ALDED INSPECTION MACHINE

Patent Applicant/ Patent Assignee:

- BUCKLEY B Shawn
- CHEN Jihona
- YANG Dao Shan
- ZHOU Hui Cheng

Inventor(s):

- BUCKLEY B Shawn
- CHEN Jihong
- YANG Dao Shan
- ZHOU Hui Cheng

	Country	Number	Kind	Date
Patent	WO	9822860	A2	19980528
Application	WO	97US20431		19971107
Priorities	US	9630771		19961108

Detailed Description:

system combines SLMV hardware with a computer software simulation of the part, the structured light and the camera's view. The simulation uses a geometric model software file that can graphically render the part onto a computer screen. The present invention uses the geometric model simulation to both reduce the time...5 coordinates of object 4 can be compared to the simulated (xs, ys, zs) coordinates of object 4 as specified by the geometric model computer file of object 4. The error between these two can be expressed as a vector between the actual surface point and the simulated surface point. Shape primitives for edges can be straight lines, conto sections such as circles, ellipses, parabolas, or hyperbolas, helixes, or...5 pixels due to location errors. Hence windows 17 and 30 need only cover perhaps +/-10 pixels from its expected location based on its geometric model file simulation. Of the hundreds of pixels in column 13 or rows 12 only a small percentage need be included in the centroid or edge algorithm...z are the measured coordinates of a reference surface point XS) ys, zs are the simulated reference surface point coordinates as specified by the geometric model file u is the unit vector (mm) between the measured and the simulated coordinates. n is the unit vector directed normal to the associated reference plane, and E is the summed error between...

14/3K/49 (Item 49 from file: 349) DIALOG(R) File 349: PCT FULLTEXT (c) 2009 WIPO/Thomson. All rights reserved.

DOCUMENT IDENTIFICATION BY CHARACTERISTICS MATCHING

Patent Applicant/ Patent Assignee:

- . BORREY Roland G
- . BORREY Daniel G

Inventor(s):

- BORREY Roland G
- BORREY Daniel G

	Country	Number	Kind	Date
Patent	wo	9015386	A1	19901213
Application	WO	90US3043		19900531
Priorities	US	89839		19890531

Detailed Description:

base 13. The retrieval and execution program 11 displays the result of the matching and labelling program 9 on a computer screen or printer (not shown). The learning and correction program 12 creates and updates the graphic knowledge base 14 and the document knowledge base 8 which are then used by the segmentation program and the matching and labeling program 9 during the next iteration of the systems When first starting the system and after each main program is finished, control is.

19/3K/2 (Item 2 from file: 348)

DIALOG(R) File 348: EUROPEAN PATENTS

(c) 2009 European Patent Office, All rights reserved.

A method of producing a checkpoint which describes a base file and a method of generating a difference file defining differences between an updated file and a base file

Patent Assignee:

Connected Place Limited; (2822330)
 Grove House, 320 Kensal Road; London W10 5BZ; (GB)
 (Proprietor designated states; all)

Inventor:

- Williams, Dominic Christopher Courteney
 Grove House, 320 Kensal Road: London W10 5BZ: (GB)
- Korn, Christian Grove House, 320 Kensal Road; London W10 5BZ; (GB)

Legal Representative:

Whitten, George Alan et al (71691)
 R.G.C. Jenkins & Co., 26 Caxton Street; London SW1H 0RJ; (GB)

	Country	Number	Kind	Date
Patent	EP	981090	A1	20000223 (Basic)
	EP	981090	B1	20031217
Application	EP	99306389		19990813
Priorities	GB	9817922		19980817

Specification:

of resolution sufficient to represent distinctly the segment; generating at different levels of resolution segment descriptions for segments in the updated file and comparing the generated segment descriptions with segment descriptions in the checkpoint to identify matching and non-matching segments; and storing as the difference file data identifying segments in the updated file that match segments in the base file and data representing portions of the updated file at a minimum level of resolution sufficient to represent distinctly the portion. As will become clear from the description that follows, the invention offers several ...

Claims:

claimed in claim 17, wherein, when a match is found, samples are compared at increasing levels of resolution to identify matching samples until no further match is found, and then the matching samples are compared with the lossless signature, 19. A method of generating a difference file defining differences between an updated file and a base file, the method comprising; generating a checkpoint defining characteristics of the base file in terms of multiple segment descriptions each selected to represent a respective segment of the base file at a minimum level of resolution sufficient to represent distinctly the segment; generating at different levels of resolution segment descriptions for segments in the updated file and comparing the generated segment descriptions with segment descriptions in the checkpoint to identify matching and non-matching segments; and storing as the difference file data identifying segments in the updated file that match segments in the base file and data representing portions of the updated file at a minimum level of resolution sufficient to represent distinctly the portion.

27/3K/5 (Item 5 from file: 348)

DIALOG(R) File 348: EUROPEAN PATENTS

(c) 2009 European Patent Office. All rights reserved.

Document management method and document management system

Patent Assignee:

 Hitachi, Ltd.: (204145) 6 Kanda Surugadai 4-chome; Chiyoda-ku, Tokyo 100-8010; (JP) (Applicant designated States: all)

Inventor:

- Yoshimura, Mitsuhiko, Hitachi, Ltd., Intellectual
 - Property Group, 5-1, Marunouchi 1-chome, Chiyoda-ku; Tokyo 100-8220; (JP)
- Murakami, Noriyuki, Hitachi, Ltd., Intellectual Property Group, 5-1, Marunouchi 1-chome, Chivoda-ku; Tokyo 100-8220; (JP)
- Nanbu, Yasuhiro, Hitachi, Ltd., Intellectual
- Property Group.5-1.Marunouchi 1-chome.Chivoda-ku; Tokyo 100-8220; (JP)
- · Kawaqishi, Yuuji, Hitachi, Ltd., Intellectual
 - Property Group, 5-1, Marunouchi 1-chome, Chivoda-ku: Tokyo 100-8220; (JP)

Legal Representative:

 Strehl Schubel-Hopf & Partner (100941) Maximilianstrasse 54; 80538 Munchen; (DE)

	Country	Number	Kind	Date	
Patent	EP	1258818	A2	20021120 (Basic)

	Country	Number	Kind	Date
	EP	1258818	АЗ	20060208
Application	EP	2002010679		20020513
Priorities	JP	2001142560		20010514

Specificatio

linking the keywords with each other is newly added for the purpose of coping with the case that the different keywords are used in the different document template types. As shown in Fig. 9, the module 117 is served to link the "different keywords with the relation of the update notice for each document template type with each other. For example, the keyword "project schedule" in the "project obliged document": Is linked with the keyword "DB development schedule" in the "DB analysis model document". Unlike the first embodiment, the "keyword conversion link" 117 makes it possible to execute an update notice process between the different keywords. In the case of updating the keyword "project" in the "project policy document", by tracing the keyword conversion link 117, the keyword "DB development schedule" in the influenced "DB analysis model document" is detected. The execution of the following process in the same manner as the first embodiment results in generating the document-update notice information. The linking management between the keywords that have been mentioned with respect to this embodiment serves to improve the problem cocurring

27/3K/6 (Item 6 from file: 349)

DIALOG(R) File 349: PCT FULLTEXT

(c) 2009 WIPO/Thomson. All rights reserved.

STRUCTURES AND METHODS FOR MANAGING SOFTWARE AND DOCUMENTATION

Patent Applicant/ Patent Assignee:

METACYBER NET

650 Saratoga Avenue, Suite 206, San Jose, CA 95129; US; US(Residence); US(Nationality)

Inventor(s):

- THAMES Joseph M
- 20740 Fourth Street #12, Saratoga, CA 95070; US
- DUCKETT Steven W
- P.O. Box 465, Klawock, AK 99925; US

Legal Representative:

GUNNI SON Forrest(et al)(agent)

Gunnison, McKay & Hodgson, L.L.P., 1900 Garden Road, Suite 220, Monterey, CA 93940; US;

	Country	Number	Kind	Date
Patent	wo	200338607	A1	20030508
Application	wo	2002US31600		20021024
Priorities	US	2001335250		20011031
	US	2002147694		20020517
	US	2002147722		20020517
	US	2002147846		20020517
	US	2002147836		20020517

	Country	Number	Kind	Date
	US	2002150803		20020517
***************************************	US	2002147714		20020517
***************************************	US	2002147691		20020517
***************************************	US	2002147848		20020517
	US	2002147814		20020517
	US	2002147787		20020517

Detailed Description:

that was assimilated from the characteristics of the programming language via code-to prose/pseudocode translation; and (3) name symbol, e.g., variable, type/scope analysis and cross-reference linking. In addition, application-specific footnote annotation, subtitle descriptions, and synopsis information to more completely flesh out the source code documentation are included. The rapid comprehension source code documentation, in this embodiment, includes four different layers, a menu layer, an executive synopsis layer, a source code to prose/pseudocode description and annotation layer, and or formatted source code layer. The...